

# SYSCALL SOLUTIONS

F&B  
HOTEL  
INDUSTRY  
HOSPITAL  
SECURITY  
GOVERNMENT OFFICE

**syscall**









## TABLE OF CONTENTS






---

 Move to the page by clicking

### 01 WIRELESS CALLING SYSTEM

-  Calling System ..... 4
-  Calling System - SRL-300 ..... 6
-  Calling System - SR-300F ..... 7
-  Nurse Call System ..... 9
-  Elderly Care System ..... 11
-  Toilet Emergency Call System ..... 12

### 02 WIRELESS PAGING SYSTEM

-  Server Paging System ..... 14
-  Manufacturing Paging System ..... 15
-  Casino Paging System ..... 17
-  Retail Store Paging System ..... 19
-  Truck Driver Paging System ..... 21

### 03 WIRELESS GUEST PAGING SYSTEM

-  Guest Paging System ..... 23

# 01

---

## WIRELESS CALLING SYSTEM

Calling System

Calling System - SRL-300

Calling System - SR-300F

Nurse Call System

Elderly Care System

Toilet Emergency Call System

# WIRELESS CALLING

## System

01 Restaurant

02 Food Court

03 Retail Store



### 01 Restaurant



When customers press the call button for assistance, the table number will be displayed on the staff pager and/or display monitor. This system helps to prompt response and improve service quality.

### 2. Food Court



Customer's order number will be displayed when food is ready. No hassle, no stress and no shouting required. Simply displayed number through Syscall SR-A receiver or big screen with customized layout.

### 3. Retail Store



Customers press the call button for assistance, the zone/aisle number will be displayed on staff pager. No matter where the staff is, customers can easily call for help with just press of a button.



Cashier presses the call button when assistance is needed. The supervisor can receive the call by the watch pager and resolve the issue quickly.

# WIRELESS CALLING

## System

### ST-800-3B Transmitter



SIZE W54 x L54 x H11mm

3 Button(CALL/BILL/CLEAR)

Mat Finishing Surface

USD or EURO Version

### ST-300 Transmitter



SIZE Ø59 x H9mm

Water-Resistance

2 Colors Options (Black/Navy)

Best Selling Call Button

### ST-500 Transmitter



SIZE W55.5 x L99.5 x H15mm

4 Different Types

Wide Working Range

Wall Bracket Included

### SR-A Series Display Monitor



SIZE W280 x L145 x H40mm

High-Performance Intenna

Wireless Data Copy

Touch Switches

### SB-650 Direct Pager



SIZE W47 x L38.5 x H14mm

Button Type Switch

Cradle Charging Type

Water-Resistance

### ST-5020 Multi Transmitter



SIZE W100 x L177x H33mm

Touch Keypad

ON/OFF Switch

F1~F4 Re-call Function

### Food Court Software



#### Features

- Display the order number through the big screen.
- The screen design is customized by customer requirements.

#### Compatible Hardware



ST-5020

SRT-8200\_PC

TRANSMITTER

RECEIVER

SOFTWARE

# WIRELESS CALLING

SRL-300

Syscall

## System

01 MEETING ROOM

02 PHYSICAL THERAPY ROOM

03 SPA & SALON



### 1. FOR ASSISTANCE



.....

Press the bell for any assistance needed while you are alone in the room. As SRL-300 next to the entrance provides visual notification outside the room, staff can easily recognize and respond quickly.

### 2. VACANT OR OCCUPIED



.....

Press the bell to turn on the SRL-300 next to the entrance, in order to indicate the meeting room is in use. Even if you cannot see the inside the room, it can be easily recognized whether the room is vacant or occupied through the light.

#### SRL-300 Light indicator



#### ST-300-2B Transmitter



#### ST-500 Transmitter



SIZE W68 x L125.5 x H50mm

SIZE Ø59 x H9mm

SIZE W55.5 x L99.5 x H15mm


# WIRELESS CALLING

SR-300F

## System



### 01 Restaurant



Customers sitting at an outdoor table can easily call the staff by simply pressing the call button. Once they press the button, the table number will be displayed on the mini display monitor installed near the reception desk and/or on the staff pager on the move.

### 02 Restricted Area



When the motion detector detects a stranger's approach at the restricted area, it will send the signal to the mini display monitor. This monitor is able to output the warning voice message, so the person who accidentally comes in can quickly notice that this is the restricted area.

### 03 Bar



If there are several cash registers and customers stand in one line, the customers can be informed which counter is available by Syscall mini monitor. Staff will press the call button when ready to serve the next customer, the counter number will be displayed with the sound "Next, please".

# WIRELESS CALLING

SR-300F

Syscall

## System

### SR-300F Mini & Compact Monitor



SIZE W107 x L107 x H32mm



Mini & Compact



2 in 1 Type



Melodies & Voice Messages



Voice Guidance

#### Features

- Mini & Compact size
- 2 in 1 Type (Wall-mounted or Stand type)
- 7 melodies & 20 voice messages
- Register up to 400 call buttons
- English voice guidance provided
- Wireless data copy available

### ST-900 Transmitter



SIZE W58 x L67 x H14mm



Waterproof call button



GOOD DESIGN award product



Recommend outdoor installation

### SPT-200 Motion Detector



SIZE Main: W85 x L85 x H45mm  
Cradle: W70 x L70 x H26mm



Detection range 10M, 120°



Easy angle adjustment



2 types available  
(Adapter or Battery)

### ST-300-2B Transmitter



SIZE Ø59 x H9mm



Water-Resistance



2 Button (CALL/CLEAR)



Slim and attractive design

### SB-700 Direct Pager



SIZE W45 x L56 x H11.5mm



Clip (Necklace Available)



Water-Resistance



Touch Switches

### SB-650 Direct Pager



SIZE W47 x L38.5 x H14mm



Button Type Switch



Cradle Charging Type



Water-Resistance

### SRT-8200 Repeater



SIZE W159 x L110 x H23mm



Enhance the signal further  
between the products



Easy to set up with  
touch switches



Wall bracket included

RECEIVER

TRANSMITTER & SENSOR BELL

PAGER & REPEATER



# WIRELESS NURSE CALL System



## 01 Doctor's Office



Doctor presses the button when patients exhibit violent behavior. It sends alert to security staff by watch pager and display monitor. And also any passerby can be notified the emergency through the corridor light next to the office's entrance.

## 02 Patient Room



Patients press the button for assistance in an emergency. Then, the bed number will be displayed through nurse's pager and display monitor. Corridor light and Nurse call software will support to provide quick and timely care as well.

## 03 Disabled Toilet



Patients will pull the cord in urgent need of assistance when using the toilet. The number of the location will be displayed through nurse's pager and display monitor. And also, it provides visual and audible notification through the corridor light.

# WIRELESS NURSE CALL

## System

### Nurse Call Software



#### Features

- Real-time monitoring system for hospital
- Able to distinguish Priority and Normal call
- Displays pop-up alert when Priority call is received
- Able to record what was patient's request and who is responded to a call
- One click to change the view type: Simple view or Log view
- Client mode: Mirroring the same log data from the Sever PC

### SR-A Series Display Monitor



SIZE W280 x L145 x H40mm

High-Performance Intenna

Wireless Data Copy

Touch Switches

### SB-700 Direct Pager



SIZE W45 x L56 x H11.5mm

Clip (Necklace Available)

Water-Resistance

Touch Switches

### SRL-300 Light indicator



SIZE W68 x L125.5 x H50mm

Dome Shaped

Priority or Normal

5 Melodies Available

### ST-E1 Transmitter



SIZE W70 x L70 x H13mm

Call & Clear

Water-Resistance

Low Battery Notification

### SHS-100 Transmitter



SIZE W41 x L103 x H20mm

2Button (Call/Clear)

Water-Resistance

Low Battery Indicator

### SHS-200 Transmitter



SIZE W41 x L103 x H20mm

2 Button Function

Water-Resistance

Cradle Included

SOFTWARE

RECEIVER

TRANSMITTER

# WIRELESS ELDERLY CARE System



## APPLICATION



SHS-400



With Breakaway Lanyard



With Cradle



SR-300F

SRL-300 SB-700

Elderly people will use this necklace call button to get help if they want to get out of bed, need toilet assistance or any other support from the caregiver. Through the Syscall receivers and corridor light, caregivers can immediately recognize who needs help. As this wearable call button can be also registered with the room number and/or name to caregivers' pager, it helps caregiver to provide quick and timely care.

TRANSMITTER



SHS-400 Transmitter



### Features

- 2 functions (Call/Clear) in 1 button
- Safety breakaway lanyard included
- Able to be fixed on the wall with the bracket
- Water-resistant call button

SIZE W51.5 x L51.5 x H13.5mm

RECEIVER

SR-300F Mini & Compact Monitor



SIZE W107 x L107 x H32mm

SRL-300 Light Indicator



SIZE W68 x L125.5 x H50mm

SB-700 Direct Pager



SIZE W45 x L56 x H11.5mm

# TOILET EMERGENCY CALL

## System

### Disabled Toilet



Emergency situation



Press the bell



### Pre-school Toilet



Assistance required



Press the bell

## APPLICATION



.....  
**Elderly, the disabled and children** press the bell **for assistance in an emergency.**  
 Then, the number of the location will be displayed on the receiver.

### ST-E1 Transmitter



SIZE W70 x L70 x H13mm

**2 in 1** Call & Clear

Water-Resistance

Low Battery Notification

### SR-A Series Display Monitor



SIZE W280 x L145 x H40mm

High-Performance Antenna

Wireless Data Copy

Touch Switches

### SRT-8200 Repeater



SIZE W159 x L110 x H23mm

Enhance the signal further between the products

Easy to set up with touch switches

Wall bracket included

# 02

---

## WIRELESS PAGING SYSTEM

- Server Paging System
- Manufacturing Paging System
- Casino Paging System
- Retail Store Paging System
- Truck Driver Paging System

# WIRELESS SERVER PAGING System



or



## 1. RESTAURANT



.....

Chef will immediately notify the staff in charge through Syscall server paging system, when food is ready for pickup while it is still hot & fresh. As desired messages are pre-programmed, just simply press the pager's number to call.



.....

After guests left the restaurant, the manager will inform the staff to clean the table by Syscall server paging system. This system helps to turn tables faster and also minimize customer wait times.

## 2. WAREHOUSE



.....

Staff can notice a message when it appears on the pager. Those indicate that where they need to be in the building or what new requests they will make. So they can respond quickly and complete their task timely.

## 3. OFFICE



.....

Staff can call an office boy by simply sending a message through Syscall server paging system without yelling his name. With an office boy's pagers, he can notice what he will do quickly.

### DT-5020 Multi Transmitter



#### Features

- Send 4 preset messages up to 99 pagers
- Alphanumeric message up to 10 digits
- Able to check up to 20 call history

SIZE W100 x L177x H33mm

### SB-700 Direct Pager



SIZE W45 x L56 x H11.5mm

## Server Paging Software



#### Features

- Group(Server name) List up to 99
- Send 10 preset messages or instant messages
- Alphanumeric message up to 10 digits
- Full screen applied

#### Compatible Hardware



# WIRELESS MANUFACTURING PAGING System

# System



## 01 Call for Assistance



.....

When machines are out of order or running out of materials, the staff can simply press the button for assistance. The person in charge can notice where the issue occurred through the watch pager or other Syscall receivers and resolve it quickly.

## 02 Machine Out of Order



.....

The dry contact version of ST-500 will automatically detect abnormal operation of the machine and send the signal to the Syscall receivers without pressing the button. It enables to minimize machine downtime and increase production efficiency.

\* Dry Contact Connection (SPECIAL REQUEST)

## 03 Emergency Alert



.....

When accidental fire occurs in the factory, the witness should press the emergency call button to warn others who are not aware of it yet. SR-A monitor installed everywhere in factories will immediately alert emergency with a voice message.

\* Able to customize voice messages

# WIRELESS MANUFACTURING PAGING

## System

### SR-A Series Display Monitor



\* Able to customize voice messages

SIZE W280 x L145 x H40mm

High-Performance Antenna

Wireless Data Copy

Touch Switches

### SLL-400 Light Indicator



SIZE W82 x L155 x H79mm

2 types Light Effect

Volume Control (Low - Mid - High)

2 ways Installation (Lengthwise or widthwise)

### SB-700 Direct Pager



SIZE W45 x L56 x H11.5mm

Clip (Necklace Available)

Water-Resistance

Touch Switches

### ST-E1 Transmitter



SIZE W70 x L70 x H13mm

2 in 1 Call & Clear

Water-Resistance

Low Battery Notification

### ST-500 Transmitter



\* Dry Contact Connection (SPECIAL REQUEST)

SIZE W55.5 x L99.5 x H15mm

4 Different Types

Wide Working Range

Wall Bracket Included

### SRT-8200 Repeater



SIZE W159 x L110 x H23mm

Enhance the signal further between the products

Easy to set up with touch switches

Wall Bracket Included

### Monitoring Software



#### Features

- Displays real-time calling information
- Transaction data can be saved and exported in Excel
- 2 type mode: Server mode or client mode
- 2 type version: Basic version or customized version

#### Compatible Hardware



RECEIVER

TRANSMITTER & REPEATER

SOFTWARE



# WIRELESS CASINO PAGING System

System



## 01 Call Attendant



When a player win on slot machine and requires hand pay or slot malfunction occurs, they press the button for assistance. The slot attendant will know quickly where to go through Syscall receivers. Fast and accurate service lead to enhance the customer service and increase your bottom line.

## 02 Emergency Alert



When dealer feels threatened by players from abuse, violence or other inappropriate behavior during the table games, they could press the emergency call button installed under the table or near the zone. If so, it sends alert to security guard's pager immediately for prompt action.

## 03 Press for Service



Syscall waiter call system is perfect to be installed in restaurants and bars at the casino. Improve service and increase drink and food sales by giving their guests the convenience of service. Happy guests would stay longer and play more at the casino, and even have a mind to next visit.

# WIRELESS CASINO PAGING System

TRANSMITTER

## ST-E1 Transmitter



SIZE W70 x L70 x H13mm

## ST-100 Transmitter



SIZE W54.5 x L54.5 x H19mm

## ST-800-3B Transmitter



Menu holder & AD space

Condiment holder

SIZE W54 x L54 x H11mm

RECEIVER

## SB-700 Direct Pager



SIZE W45 x L56 x H11.5mm

## SR-A Series Display Monitor



SIZE W280 x L145 x H40mm

## SRT-8200 Repeater



SIZE W159 x L110 x H23mm

SOFTWARE

## Monitoring Software



### Features

- Displays real-time calling information
- Transaction data can be saved and exported in Excel
- 2 type mode: Server mode or client mode
- 2 type version: Basic version or customized version

### Compatible Hardware





2 or 3 button transmitter



SRT-8200\_PC

ACCESSORIES

## Luminous Call Button Board / Acrylic Stand for Call Button



Acrylic stand - round type

Acrylic stand - square type

### Features

- High-visibility call button board
- Charged by a regular source of light
- Glows in the dark
- Foamex board(2T) : Versatile PVC foam sheet
- Suitable for indoor and outdoor use
- Weatherproof
- Can be screwed, riveted or nailed to any surface



Menu holder & AD space

Condiment holder

Menu holder stand

# WIRELESS RETAIL STORE PAGING System



## 01 Welcome Greetings



The Door Contact Sensor (SDS-200) detects when the door is open or closed by the customer or any other person who approaches the entrance. The SDS-200 sends a signal to the mini monitor, so the set phrase plays on the SR-300F that could be composed of either welcome greetings or introducing stores. It is an efficient system that outputs greetings automatically to customers entering the store.

## 02 Promotional Purposes



When Motion Detector (SPT-200) detects the movement of those who passing through a designated area, the monitor receives a signal and plays a set phrase. As SR-A monitors are allowed users to easily customize the voice messages, they can be changed and applied the right phrase whenever having promotions in a timely fashion.

## 03 Fitting Room



If a customer needs assistance, for example, requiring different size or color in the fitting room, they simply press the bell installed inside the room. Once the bell is pressed, the fitting room number is instantly displayed on the staff's pager, and also the light indicator next to each room is turned on. This system helps staff to recognize and respond quickly.

# WIRELESS RETAIL STORE PAGING System

TRANSMITTER

## SPT-200 Motion Detector



**SIZE** Main: W85 x L85 x H45mm  
Cradle: W70 x L70 x H26mm

Detection Range 10M, 120°

Easy Angle Adjustment

2 Types Available (Adapter or Battery)

## SDS-200 Door Contact Sensor



**SIZE** Main: W70 x L40 x H26mm  
Magnet: W70 x L16 x H20mm

Detecting OPEN and CLOSE

Low Battery Notification

Wide Range

## ST-300 Transmitter



**SIZE** Ø59 x H9mm

Water-Resistance

2 Colors Options (Black/Navy)

Best Selling Call Button

RECEIVER

## SR-A Series Display Monitor



\* Able to customize voice messages *by yourself*.

**SIZE** W280 x L145 x H40mm

Melodies & Voice Messages

Wireless Data Copy

Touch Switches

## SR-300F Mini Monitor



\* Able to customize voice messages *by special requests*

**SIZE** W107 x L107 x H32mm

Melodies & Voice Messages

Voice Guidance

Wall-Mounted or Stand Type

## SB-650 Direct Pager



**SIZE** W47 x L38.5 x H14mm

Button Type Switch

Cradle Charging Type

Water-Resistance

ACCESSORIES

## Luminous Call Button Board



### Features

- High-visibility call button board
- Glows in the dark
- Suitable for indoor and outdoor use
- Can be screwed, riveted or nailed to any surface
- Charged by a regular source of light
- Foamex board(2T) : Versatile PVC foam sheet
- Weatherproof

# TRUCK DRIVER PAGING System



**01**

STAFF → DRIVER

Check-in & Receive the pager

**02**

Waiting for the call

**03**

STAFF → DRIVER

Informed Gate#

**04**

Load & Leave

**TP-2000T** Multi Transmitter



SIZE W100 x L177 x H33mm

**TGP-200R\_10C** Guest Pager



SIZE W47 x L102 x H12mm

**SRT-8200T** Repeater



SIZE W159 x L110 x H23mm

# 03

---

## WIRELESS GUEST PAGING SYSTEM

Guest Paging System

# WIRELESS GUEST PAGING System

System



## APPLICATION



STAFF



CUSTOMER



Branding sticker space

Hand over guest pagers to customers at a counter, and staff can instantly notify waiting customers when it is their turn. With this system, you will reach customers more efficiently, decreasing waiting time and counter congestion to improve the overall guest experience.

### Multi Transmitter

#### GP-2000T



SIZE W100 x L177 x H33mm

### Guest Pager

#### GP-101R\_10C



SIZE Ø95 x H15.5mm

### Guest Pager

#### SGP-100R\_10C



SIZE W138 x L142 x H175mm

### Guest Pager

#### SGP-300R\_10C



SIZE W84 x L185 x H55mm